



Tire Conversion Chart

April 2013

Stens Part Numbers for:			Description	Ply
CST	KENDA	CARLISLE		
160-291			280-250-4 SAW TOOTH 4 PLY	4
160-283			400-6 RIB 2 PLY	2
	160-633		410-350-4 POLAR TRAC 2 PLY	2
160-313	160-605	165-021	410-350-4 SAW TOOTH 2 PLY	2
160-309			410-350-4 SAW TOOTH 2 PLY	2
160-307			410-350-4 SAW TOOTH 4 PLY	4
160-010			410-350-4 SMOOTH 4 PLY	4
160-002			410-350-4 STUD 2 PLY	2
160-325	160-300	165-163	410-350-4 STUD 2 PLY	2
160-014	160-609		410-350-4 TURF SAVER 2 PLY	2
160-279			410-350-5 SAW TOOTH 2 PLY	2
160-036			410-350-5 SMOOTH 4 PLY	4
160-059			410-350-5 STUD 2 PLY	2
160-028			410-350-5 STUD 2 PLY	2
	160-635		410-350-6 POLAR TRAC 2 PLY	2
160-044			410-350-6 STUD 2 PLY	2
160-063	160-308		410-350-6 STUD 2 PLY	2
		165-015	410-4 TURF SAVER 2 PLY	2
	160-681		410-6 K478 2 PLY	2
		165-191	410-6 SNOW HOG 2 PLY	2
160-184		165-076	480-400-8 AG 2 PLY	2
	160-683		480-400-8 K478 2 PLY	2
160-119			480-400-8 RIB 2 PLY	2
160-127			480-400-8 SAW TOOTH 4 PLY	4
160-055			480-400-8 STUD 2 PLY	2
160-101			480-400-8 STUD 2 PLY	2
	160-601		480-400-8 TRAILER 2 PLY	2
		165-316	480-8 SNOW HOG 2 PLY	2
160-147			8-300-4 SMOOTH 4 PLY	4
160-150	160-663	165-620	9-350-4 SMOOTH 4 PLY	4
160-166			9-350-4 TURF SAVER 2 PLY	2
	160-401		11-400-4 K500 SIPED TREAD	4
160-250		165-023	11-400-4 TURF SAVER 2 PLY	2
160-176	160-639		11-400-5 RIB 2 PLY	2
		165-344	11-400-5 RIB 4 PLY	4
	160-661		11-400-5 SLICK 4 PLY	4
		165-626	11-400-5 SMOOTH 4 PLY	4
160-158			11-400-5 SMOOTH 4 PLY	4
160-168		165-027	11-400-5 TURF SAVER 2 PLY	2
160-040			12X4.00-5 CONCESSION KART TIRE	4
160-081			13-500-6 AG 4 PLY	4
	160-685		13-500-6 K478 2 PLY	2
160-501			13-500-6 MOWKU 4 PLY	4
160-077			13-500-6 RIB 2 PLY	2
160-797	160-641	165-116	13-500-6 RIB 4 PLY	4
160-303	160-667	165-628	13-500-6 SMOOTH 4 PLY	4
		165-122	13-500-6 SNOW HOG 2 PLY	2
160-069		165-043	13-500-6 TURF SAVER 2 PLY	2
160-925		165-130	13-500-6 TURF SAVER 4 PLY	4
160-805	160-645	165-289	13-650-6 RIB 4 PLY	4
160-113	160-671	165-632	13-650-6 SMOOTH 4 PLY	4
		165-360	13-650-6 TURF MASTER SIPED	4
160-275		165-308	13-650-6 TURF SAVER 2 PLY	2
160-109	160-613	165-211	13-650-6 TURF SAVER 4 PLY	4
160-097			145-70-6 COMPASS STUD 2 PLY	2
	160-689		15-500-6 K478 2 PLY	2
	160-637		15-500-6 POLAR TRAC 2 PLY	2
160-200		165-368	15-600-6 PRO TECH	4
160-505			15-600-6 MOWKU 4 PLY	4
160-085			15-600-6 RIB 2 PLY	2
160-801	160-649	165-069	15-600-6 RIB 4 PLY	4



Tire Conversion Chart

April 2013

Stens Part Numbers for:			Description	Ply
CST	KENDA	CARLISLE		
160-093		165-050	15-600-6 TURF SAVER 2 PLY	2
		165-146	15-600-6 TURF SAVER II 2 PLY	2
160-259			16-2.125 MX STUD 2 PLY	2
	160-687		16-650-8 K478 2 PLY	2
160-509			16-650-8 MOWKU 4 PLY	4
	160-405	165-364	16-650-8 PRO TECH	4
160-143	160-653		16-650-8 RIB 2 PLY	2
		165-054	16-650-8 SNOW HOG 2 PLY	2
160-135		165-092	16-650-8 TURF SAVER 2 PLY	2
160-246		165-215	16-650-8 TURF SAVER 4 PLY	4
		165-148	16-650-8 TURF SAVER II 2 PLY	2
160-208		165-372	16-750-8 PRO TECH	4
160-317		165-138	16-750-8 TURF SAVER 2 PLY	2
		165-504	18-1050-10 MULTI TRAC 4 PLY	4
	160-409	165-376	18-650-8 K500 SIPED TREAD	4
160-226		165-108	18-650-8 TURF SAVER 4 PLY	4
		165-031	18-750-8 TURF SAVER	4
		165-500	18-850-10 MULTI TRAC 4 PLY	4
		165-200	18-850-10 TRAC CHIEF 4 PLY	4
		165-444	18-850-8 FAIRWAY PRO 4 PLY	4
	160-493		18-850-8 HOLE-N-1 GOLF 4 PLY	4
		165-436	18-850-8 LINKS 4 PLY	4
160-513			18-850-8 MOWKU 4 PLY	4
160-216	160-413	165-380	18-850-8 PRO TECH	4
160-369		165-332	18-850-8 TURF SAVER 2 PLY	2
160-933	160-617	165-080	18-850-8 TURF SAVER 4 PLY	4
	160-417		18-9.50-8 K500 SIPED TREAD	4
160-517			18-950-8 MOWKU 4 PLY	4
		165-370	18-950-8 SMOOTH 4 PLY	4
160-909			18-950-8 SMOOTH 4 PLY	4
		165-118	18-950-8 SUPER LUG 2 PLY	2
		165-100	18-950-8 TURF SAVER	2
		165-392	20-10.00-10 TURF MASTER SIPED	4
		165-223	20-10.00-8 TURF SAVER	2
	160-423		20-10.50-8 K500	4
160-525			20-1000-10 MOWKU 4 PLY	4
		165-260	20-1000-10 TURF SAVER 4 PLY	4
160-521			20-1000-8 MOWKU 4 PLY	4
160-220	160-421	165-388	20-1000-8 PRO TECH 4 PLY	4
		165-062	20-1000-8 SUPER LUG 4 PLY	4
160-267			20-2.125 MX STUD 2 PLY	2
	160-490		205/50R10 PRO TOUR RADIAL 4PLY Golf Cart	4
		165-017	20-800-10 TURF SAVER	4
	160-621		20-800-8 TURF RIDER 4 PLY	4
160-929		165-066	20-800-8 TURF SAVER 2 PLY	2
		165-572	20-800-8 TURF SAVER II 2 PLY	2
		165-602	21-1100-10 AT101 CHEVRON 4 PLY	4
	160-677		21-1100-8 SHEVRON BAR 4 PLY	4
	160-425		21-7.00-10 K500 SIPED TREAD	4
		165-552	21-7.00-10 TURF SAVER	2
		165-596	22.5-1000-8 TURFTRAC R/S 4 PLY	4
		165-340	22-11.00-10 TURF MASTER SIPED	4
	160-675		22-1100-10 SHEVRON BAR 4 PLY	4
		165-072	22-1100-8 TURF CTR 4 PLY	4
		165-336	22-9.50-12 TURF SAVER	2
		165-412	22-950-10 TURF TRAC R/S 4 PLY	4
	160-429		23-10.00-12 K500 SIPED TREAD	4
160-533			23-1050-12 MOWKU 4 PLY	4
		165-575	23-1050-12 MULTI TRAC CS 6 PLY	6
160-234		165-400	23-1050-12 PRO TECH 4 PLY	4
		165-560	23-1050-12 RURF SAVER	4



Tire Conversion Chart April 2013

Stens Part Numbers for:			Description	Ply
CST	KENDA	CARLISLE		
		165-120	23-1050-12 SUPER LUG 4 PLY	4
		165-159	23-1050-12 TURF SAVER	2
160-529			23-850-12 MOWKU 4 PLY	4
160-224		165-396	23-950-12 PRO TECH 4 PLY	4
	160-433		24-11.50-12	4
		165-408	24-1200-10 TURF TRAC R/S 4 PLY	4
160-537			24-1200-12 MOWKU	4
		165-160	24-1200-12 MULTI TRAC 4 PLY	4
160-212	160-437	165-404	24-1200-12 PRO TECH 4 PLY	4
	160-673	165-604	24-1200-12 SHEVRON BAR 4 PLY	4
		165-800	24-1200-12 TURF SMART 4 PLY	4
		165-512	24-950-12 MULTI TRAC 4 PLY	4
		165-164	26.5-1400-12 ULTRA TRAC 4 PLY	4
		165-524	26-12.00-12 MULTITRAC	4
		165-204	26-1200-12 TRAC CHIEF 4 PLY	4
		165-111	28-850-12 TURF MASTER 4 PLY	4
		165-584	AT22.5-10-8 HD FIELD TRAX 3PLY	3
		165-588	AT25-13-9 HD FIELD TRAX 3 PLY	3

Tube Conversion Chart April 2013

Stens Nbr CST	Size/Description
170-215	200 X 50 Stem Angle Type: 90°/TR87
170-183	280-250-4 Stem Angle Type: 90°/TR87
170-225	280-250-4 Stem Angle Type: 45°/JS87P
170-001	410-350-4 Stem Angle Type: 90°/TR87
170-005	410-350-4 Stem Angle Type: 90°/JS87P
170-138	410-350-4 Stem Angle Type: Straight/TR13
170-019	410-350-5 Stem Angle Type: 90°/TR87
170-023	410-350-5 Stem Angle Type: 45°/JS87P
170-035	410-350-6 Stem Angle Type: 90°/TR87
170-130	410-350-6 Stem Angle Type: Straight/TR13
170-068	480-400-8 400-8 Stem Angle Type: Straight/TR13
170-134	570-500-8 Stem Angle Type: Straight/TR13
170-027	11-400-5 Stem Angle Type: 90°/TR87
170-031	11-400-5 Stem Angle Type: Straight/TR13
170-043	13-500-6 530-450-6 Stem Angle Type: 90°/TR87
170-175	13-650-6 Stem Angle Type: Straight/TR13
170-050	15-600-6 Stem Angle Type: Straight/TR13
170-054	15-600-6 Stem Angle Type: 90°/TR87
170-159	16-2.125 Stem Angle Type: Straight (thorn proof)
170-076	16-650-8 Stem Angle Type: Straight/TR13
170-084	18-850 950-8 Stem Angle Type: Straight/TR13
170-100	20.5-800 1000-10 Stem Angle Type: Straight/TR13
170-167	20-2.125 tem Angle Type: Straight (thorn proof)
170-192	21-1200-8/22-1100-8 Stem Angle Type: Straight/TR4
170-126	23-1050-12 26-1200-12 Stem Angle Type: Straight/TR13
170-118	23-850 950-12 Stem Angle Type: Straight/TR13
170-142	25-1200-9 Stem Angle Type: Straight/TR6